

Publikationen Dermatologie 2016

Zeitschriftenbeiträge

Apfelbacher C, Weiß C, Molin S, **Bauer A**, Mahler V, Schmitt J, Elsner P, Diepgen TL, Weisshaar E (2016) Which factors are associated with the use of systemic antihistamines in patients with chronic hand exzema? Results from the CARPE registry. *J Eur Acad Dermatol Venereol* 30: 50-56
IF: 3.029

Atwan A, Ingram JR, Abbot R, Kelson MJ, Pickles T, **Bauer A**, Piquet V (2016) Oral fumaric acid esters for psoriasis: Abridged Cochrane systematic review including GRADE assessments. *Br J Dermatol* 175: 873-881
IF: 4.317

Bauer A (2016) Hautkrebs als Berufserkrankung. *Hautarzt* 67:884-890
IF: 0.511

Bernkopf K, Rönsch H, Spornraft-Ragaller P, Neumeister V, Bauer A (2016) Safety and tolerability during build-up phase of a rush venom immunotherapy. *Ann Allergy Asthma Immunol* 115: 360-365
IF: 3.475

Brüttig J, **Rauschenberg R**, Troost EGC, **Meier F**, **Garzarolli M** (2016) Hirnmetastasen beim malignen Melanom. *Akt Dermatol* 42: 501-506
IF:

Fätkenheuer G, Jessen H, Stoehr A, Jung N, Jessen AB, Kümmerle T, Berger M, Bogner JR, Spinner CD, Stephan C, Degen O, Vogelmann R, **Spornraft-Ragaller P**, Schnaitmann E, Jensen B, Ulmer A, Kittner JM, Härter G, Malfertheiner P, Rockstroh J, Knecht G, Scholten S, Harrer T, Kern WV, Salzberger B, Schürmann D, Ranneberg B (2016) PEPDar: A randomized prospective noninferiority study of ritonavir-boosted darunavir for HIV post-exposure prophylaxis. *HIV Med* 17:453-459
IF: 3.341

Garzarolli MK, Meier F, Brüttig J (2016) Aktuelle Strategien beim fortgeschrittenen nicht operativen malignen Melanom. *Ärztl J Onkol* Nr.3 2-5
IF:

Gollnick HPM, Buer J, **Beissert S**, Sunderkötter C (2016) Verantwortlicher Umgang mit Antibiotika: Notwendigkeit der Antibiotikareduktion in der Aknetherapie. *J Dtsch Dermatol Ges* 14: 1319-1327
IF: 2.511

Günther C, Schmidt F, König N, Lee-Kirsch MA (2016) Typ-I-Interferonopathien: Durch Typ-I-Interferone bedingte entzündliche Systemerkrankungen. *Z Rheumatol* 75: 134-140
IF: 0.569

Günther C (2016) Schleimhautbeteiligung bei blasenbildenden Autoimmunerkrankungen. *Hautarzt* 67: 774-779

IF: 0.511

Gutzmer R, **Rauschenberg R, Meier F** (2016) Systemtherapie des inoperabel metastasierten malignen Melanoms. Hautarzt 67: 529-535
IF: 0.511

Gutzmer R, **Meier F** (2016) Malignes Melanom. Hautarzt 67: 510 (editorial)
IF: 0.511

Hassel JC, Lee SB, Meiss F, **Meier F**, Dimitrakopoulou-Strauss A, Jäger D, Enk AH (2016) Vermurafenib and ipilimumab: a promising combination? Results of a case series. Oncoimmunol 5: No.4, e 1101207/1-5

IF: 7.644

Hault K, Rönsch H, Beissert S, Knuschke P, Bauer A (2016) Knowledge of outdoor workers on the effects of natural UV radiation and methods of protection against exposure. J Eur Acad Dermatol Venereol 30 Suppl 3: 34-37
IF: 3.029

Henry CM, Sullivan GP, Clancy DM, Afonina IS, **Kulms D**, Martin SJ (2016) Neutrophil-derived proteases escalate inflammation through activation of IL-36 family cytokines. Cell Rep 14: 708-722
IF: 7.87

Herschel S, Schmitt J, Bauer A (2016) Lebensqualität und deren Einflussfaktoren bei Patienten mit Handekzem – eine Querschnittsstudie. Derm Beruf Umwelt 64: 54-59
IF:

Heulot M, Chevalier N, Puyal J, Margue C, Michel S, Kreis S, **Kulms D**, Barras D, Nahimana A, Widmann C (2016) The TAT-RasGAP₃₁₇₋₃₂₆ anti-cancer peptide can kill in a caspase-, apoptosis-, and necroptosis-independent manner. Oncotarget 7: 64342-64359
IF: 5.008

Hofmann L, Forschner A, Loquai C, Goldinger SM, Zimmer L, Ugurel S, Schmidgen M, Gutzner R, Utikal JS, Göppner D, Hassel JC, **Meier F**, Tietze JK, Thomas I, Weishaupt C (2016) Cutaneous gastrointestinal, hepatic, endocrine, and renal side -effects of anti-PD-1 therapy. Eur J Cancer 60: 190-209
IF: 6.163

Hunzelmann N, Riemenkasten G, Becker M, Moinzadeh P, Kreuter A, Melchers I, Mueller-Ladner U, Meier F, Worm M, Lee H, Herrgott I, Pfeiffer C, Fierlbeck G, Henes J, Juche A, Zeidler G, Mensing H, **Günther C**, Sárdy M, Burkhardt H, Koehm M, Kuhr K, Krieg T, Sunderkötter C (2016) The Predict study: low risk for digital ulcer development in systemic sclerosis patients with increasing disease duration and lack of topoisomerase-1 antibodies. Br J Dermatol 174:1384-1387(letter)
IF: 4.317

Kavanagh D, McGlasson S, Jury A, Williams J, Scolding N, Bellamy C, **Günther C**, Ritchie D, Gale DP, Kanwar YS, Challis R, Buist H, Overell J, Weller B, Flossmann

O, Blunden M, Meyer EP, Krucker T, Evans SJW, Campbell IL, Jackson AP, Siddharthan C, Hunt DPJ (2016) Typ I interferon causes thrombotic microangiopathy by a dose-dependent toxic effect on the microvasculature. *Blood* 128: 2824-2833
IF: 11.847

Küster D, Nast A, Gerdes S, Weberschock T, **Wozel G**, Gutknecht M, Schmitt J (2016) Cost-effectiveness of systemic treatments for moderate-to-severe psoriasis in the German health care setting. *Arch Dermatol Res* 308: 249-261
IF: 2.146

Laimer M, **Aschoff R** (2016) Schleimhauterkrankungen. *Hautarzt* 67: 772-773
IF: 0.511

Lee-Kirsch MA, **Günther C**, Roers A (2016) Nucleic acid-mediated autoinflammation and autoimmunity – type I interferonopathies. *J Mol Med* 94: 1081-1089
IF: 4.855

Loquai C, Dechant D, **Garzarolli M**, Kaatz M, Kaehler KC, Kurschat P, Meiss F, Stein A, Nashan D, Micke O, Muecke R, Muenstedt K, Stoll C, Schmidtmann I, Huebner J (2016) Risk of interactions between complementary and alternative medicine and medication for comorbidities in patients with melanoma. *Med Oncol* 33: 52/1-5
IF: 2.486

Mahler V, Schnuch A, **Bauer A**, Werfel T, Strömer K, Enk A, Bieber T, Klimek L (2016) Limited availability of diagnostic allergens for patch testing compromises patient care. *J Dtsch Dermatol Ges* 14: 743-745 (letter)
IF: 2.511

Meurer M, **Schild M** (2016) Therapie der Vitiligo. *Hautarzt* 67: 249-264
IF: 0.511

Moinzadeh P, Riemekasten G, Siegert E, Fierlbeck G, Henes J, Blank N, Melchers I Mueller-Ladner U, Freric M, Kreuter A, Tigges C, Lahner N, Susok L, **Günther C**, Zeidler G, ...; German Network for Systemic Scleroderma (2016) Vasoactive therapy in systemic sclerosis: Real-life therapeutic practice in more than 3000 patients. *J Rheumatol* 43: 66-74
IF: 3.236

Niessner H, Schmitz J, Tabatabai G, Schmid A, Calaminus C, Sinnberg T, Weide B, Eigentler TK, Garbe C, Shittek B, Quintanille-Fend L, Bender B, **Mai M, Praetorius C, Beissert S**, Schackert G, Muders M, Meinhardt M, Baretton GB, Dummer R, Flaherty KT, Pichler BJ, **Kulms D**, Westphal D, **Meier F** (2016) PI3K pathway inhibition achieves potent antitumor activity in melanoma brain metastases in vitro and in vivo. *Clin Cancer Res* 22 (2016) 5818-5828
IF: 8.738

Ochsendorf F, Bandholz T, Emmert S, Hartman K, Hartmann M, Hornung T, Jünger M, Kollewe T, Löser C, Moll I, Psotta-Schachtner C, **Spornraft-Ragaller P**, Ständer S, Stebut-Borschitz E von, Hamm H (2016) 111 Top-Lernziele Dermatologie: Lernzielkatalog für Haut- und Geschlechtskrankheiten der Deutschen Dermatologischen Gesellschaft. *J Dtsch Dermatol Ges* 14:637-643

IF: 2.511

Ott G, Janssen W, **Knuschke P** (2016) Präventionsmaßnahmen zum Schutz vor solarer UV-Strahlung. Sicher ist sicher 67: 374-379

IF:

Peschke K, Achleitner M, Frenzel K, Gerbaulet A, Ada SR, Zeller N, Lienenklaus S, Lesche M, Poulet C, Naumann R, Dahl A, Ravens U, **Günther C**, Müller W, Knobeloch KP, Prinz M, Roers A, Behrendt R (2016) Loss of Trex1 in dendritic cells is sufficient to trigger systemic autoimmunity. J Immunol 197: 2157-2166

IF: 4.985

Pistorius S, Klink B, Pablik J, Rump A, Aust D, **Garzarolli M**, Schröck E, Schackert HK (2016) An unusual case of Cowden syndrome associated with ganglioneuromatous polyposis. Hered Cancer Clin Pract 14: 11/1-11/9

IF: 1.550

Rauschenberg R, Tabatabai G, Troost EGC, **Garzarolli M**, **Beissert S**, **Meier F** (2016) Hirnmetastasen des malignen Melanoms: Therapiebesonderheiten. Hautarzt 67: 536-543

IF: 0.511

Reinhold U, Dirschka T, Ostendorf R, **Aschoff R**, Berking C, Philipp-Dormston WG, Hahn S, Lau K, Jäger A, Schmitz B, Lübbert H, Szeimies RM (2016) A randomized, double-blind, phase III, multicentre study to evaluate the safety and efficacy of BF-200 ALA (Ameluz[®]) versus placebo in the field-directed treatment of mild to moderate actinic keratosis with photodynamic therapy (PDT) when using the BF-RhodoLED[®] lamp. Br J Dermatol 175: 696-705

IF: 4.317

Schild M, **Meurer M** (2016) Vitiligo. Hautarzt 67: 173-188

IF: 0.511

Schmitt J, Deckert S, Alam M, Apfelbacher C, Barbaric J, **Bauer A**, Chalmers J, Chosidow O, Delamere F, Doney E, Eleftheriadou, Grainge M, Johannsen L, Kottner J, Le Cleach L, Mayer A, Pinart M, Prescott L, Prinsen CAC, Ratib S, Schlager JG, Sharma M, Thomas KS, Weberschock T, Weller K, Werner RN, Wild T, Wilkes SR, Williams HC (2016) Report from the kick-off meeting of the Cochrane Skin Group Core Outcome Set Initiative (CSG-COUSIN) Br J Dermatol 174: 287-295

IF: 4.317

Sinnberg T, Makino E, Krueger MA, Velic A, Macek B, Rothbauer U, Groll N, Pötz O, Czemann S, Niessner H, **Meier F**, Ikenberg K, Garbe C, Schittekk B (2016) A nexus consisting of beta-catenin and Stat3 attenuates BRAF inhibitor efficacy and mediates acquired resistance to vemurafenib. EBioMedicine 8: 132-149

IF: 0

Sporraft-Ragaller P, **Beissert S** (2016) Human papillomavirus is a risk factor for asymptomatic bacterial sexually transmitted infection in HIV-infected men who have sex with men. Br J Dermatol 174:717-718

IF: 4.317

Trautmann F, **Meier F**, Seidler A, Schmitt J (2016) Effects of the German skin cancer screening program on melanoma incidence and indicators of disease severity. Br J Dermatol 175: 912-919
IF: 4.317

Tüngler V, König N, **Günther C**, Engel K, Fiehn C, Smitka M, von der Hagen M, Berner R, Lee-Kirsch MA (2016) Response to: JAK inhibition in STING-associated interferonopathy by Crow et al. Ann Rheum Dis 75: e76 (letter)
IF: 12.384

Ulrich C, Salavastru C, Agner T, **Bauer A**, Brans R, Crepy MN, Ettler K, Gobba F, Goncalo M, Imko-Walczuk B, Lear J, Macan J, Modenese A, Paoli J, Sartorelli P, Stageland K, Weinert P, Wroblewski N, Wulf HC, John SM (2016) The European Status Quo in legal recognition and patient-care services of occupational skin cancer. J Eur Acad Dermatol Venereol 30 Suppl 3: 46-51
IF: 3.029

Weide B, Martens A, Hassel JC, Berking C, Postow MA, Bisschop K, Simeone E, Mangana J, Schilling B, Di Giacomo AM, Brenner N, Kähler KC, Heinzerling L, Gutzmer R, Bender A, Gebhardt C, Romano E, **Meier F**, Martus P, Maio M, Blank CU, Schadendorf D, Dummer R, Ascierto PA, Hespers GA, Garbe C, Wolchok JD (2016) Baseline biomarkers for outcome of melanoma patients treated with pembrolizumab. Clin Cancer Res 22: 5487-5496
IF: 8.738

Westphal GA, Rihs HP, Schaffranek A, Zeiler T, Werfel T, Heratizadeh A, Dickel H, Weisshaar E, **Bauer A**, Schliemann S, Reich K, Breuer K, Schröder-Kraft C, Worm M, Molin S, Brans R, Schäkel K, Schwantes H, Pföhler C, Szliska C, Kreft B, Löffler H, Bünger J, Brüning T, Geier J, Schnuch A (2016) A variant of the CXCL11 gene may influence susceptibility to contact allergy, particularly in polysensitized patients. Contact Dermatitis 75: 303-307
IF: 5.692

Wiegand C, **Bauer A**, Brash J, Nenoff P, Schaller M, Mayser P, Hipler U-C, Elsner P (2016) Are the classic diagnostic methods in mycology still state of the arte? J Dtsch Dermatol Ges 14: 490-494
IF: 2.511

Wolf C, Rapp A, **Berndt N**, Staroske W, Schuster M, Dobrick-Mattheuer M, Kretschmer S, König N, Kurth T, Wieczorek D, Kast K, Cardoso MC, **Günther C**, Lee-Kirsch MA (2016) RPA and Rad51 constitute a cell intrinsic mechanism to protect the cytosol from self DNA. Nature Commun 7:11752/DOI: 10.1038/ncomms11752/1-11
IF:

Zimmer L, Goldinger SM, Hofmann L, Loquai C, Ugurel S, Thomas I, Schmidgen MI, Gutzmer R, Utikal JS, Göppner D, Hasserl JC, **Meier F**, Tietze JK, Forschner A, Weishaupt C ... (2016) Neurological, respiratory, musculoskeletal, cardiac and ocular side-effects of anti-PD-1 therapy. Eur J Cancer 60: 210-225

Bücher

Webb A, Berwick M, Blumthaler M, Brand A, de Gruyl F, **Knuschke P**, Mason R, Pilz S. Maintaining Summer Levels of 25(OH)D during winter by minimal exposure to sunbeds: Requirements and Weighing the advantages and disadvantages. CIE, Wien, 2016, 23 S
Technical Report, 219, 2016

Ott G, Janßen W, **Knuschke P**. Schutz vor solarer UV-Strahlung- Eine Auswahl von Präventionsmaßnahmen. Bundesanstalt für Arbeitsschutz und Arbeitsmedizin, Dortmund, 2016
Baua:Fokus

Buchbeiträge

Bauer A (2016) Berufsbedingter epithelialer Hautkrebs. In: Letzel S, Nowak D (Hrsg.) Handbuch der Arbeitsmedizin. Ecomed Medizin, Landsberg, 2016, DI-11.5/ 1-12

Meier F, Rauschenberg R (2016) Metastasiertes Melanom – Realität und Vision. In: Ehninger G, Overkamp F (Hrsg.) Colloquium Onkologie Band 21 – Dokumentation ausgewählter Beiträge vom Dresdner Symposium Hämatologie / Onkologie, 55-64, Verl. LUKON , München

Ott G, Janßen W, **Knuschke P** (2016) Präventionsmaßnahmen für Arbeitnehmer im Freien - Schutz vor solarer UV-Strahlung. In: Völker S, Schumacher H (Hrsg.) 9. Symposium Licht und Gesundheit. Universitätsverl. TU Berlin, 24-29
Schriftenreihe des Fachgebietes Lichttechnik, Bd. 8

Rauschenberg R, Meier F, Beissert S (2016) Tumorimmunologie reloaded: Neue erfolgversprechende Ansätze in der Immuntherapie des malignen Melanoms. In: Ehninger G, Overkamp F (Hrsg.) Colloquium Onkologie Band 21 – Dokumentation ausgewählter Beiträge vom Dresdner Symposium Hämatologie / Onkologie, 45-52, Verl. LUKON, München

Dissertationen und Habilitationen

Berndt N. Die Rolle von Defekten im Nukleinsäure-Metabolismus bei der Pathogenes kutaner Autoimmunerkrankungen. Diss. (Dr. rer. medic.), Med. Fak., TU Dresden, 2016

1. Gutachter: PD Dr. med. C. Günther

Blau KE. Effekte der Therapie mit dem TNF- α -Antagonisten Etanercept auf die Funktion und Rekrutierung von 6-sulfo LacNAc $^+$ Dentritischen Zellen in der Psoriasis vulgaris. Diss., Med. Fak., TU Dresden, 2016

1. Gutachter: PD Dr. med. C. Günther

Friebe F. Klinischer Verlauf des familiären Chilblain Lupus und Auswirkungen der TREX1-(D18N)-Mutation auf die Lymphozytenstimulation. Diss., Med. Fak., TU Dresden, 2016

1. Gutachter. PD Dr. med. C. Günther

Schach A. Bestimmung der Hautdickenveränderung und Veränderung hautphysiologischer Parameter unter intermittierender Langzeittherapie nach 3 Monaten mit topischen Glukokortikoiden und Calcineurinhibitoren. Diss., Med. Fak. TU Dresden, 2016

1. Gutachter: Prof. Dr. med. S. Beissert

Spornraft-Ragaller P. Untersuchungen zu Klinik und Epidemiologie der HIV-Infektionen und bakteriellen sexuell übertragbaren Infektionen (STI's): Resultate aus einem spezialisierten dermatologischen Schwerpunktzentrum im bundesweiten Vergleich. Habiltschr., Med. Fak., TU Dresden, 2016

1. Gutachter: Prof. Dr. med. S. Beissert