

1. Publikationen

Originalarbeiten	IF
Erst- und Letztautorschaften	
Zimmermann N, Günther C , Clinical response to JAK inhibition in patients with familial chilblain lupus and TREX1 mutation. JAMA Dermatol 2018. accepted	8,1
Günther C , Lee-Kirsch MA, Eckhard J, Matanovic A, Kerscher T, Rüschemdorf F, Klein B, Berndt N, Zimmermann N, Flachmeier C, Thuß T, Lucas N, Marenholz I, Esparza-Gordillo J, Hübner N, Traupe H, Delaporte E, Lee YA. SMARCAD1 Haploinsufficiency Underlies Huriez Syndrome and Associated Skin Cancer Susceptibility. J Invest Dermatol. 2018 Jun;138(6):1428-1431. doi: 10.1016/j.jid.2018.01.015.	6,5
Steffen S, Abraham S, Herbig M, Schmidt F, Blau K, Meisterfeld S, Beissert S, Guck J, Günther C . Toll-Like Receptor-Mediated Upregulation of CXCL16 in Psoriasis Orchestrates Neutrophil Activation. J Invest Dermatol. 2018 Feb;138(2):344-354. doi: 10.1016/j.jid.2017.08.041.	6,5
Meisterfeld S, Röber N, Conrad K, Beissert S, Aringer M, Günther C . A chronic recurrent disease course of dermatomyositis is associated with autoantibodies against transcriptional intermediary factor 1- γ . Br J Dermatol. 2017 Aug;177(2):590-593. doi: 10.1111/bjd.15468.	6,1
Dietze J, Hohenstein B, Tselmin S, Julius U, Bornstein SR, Beissert S, Günther C . Successful and well-tolerated bi-weekly immunoadsorption regimen in pemphigus vulgaris. Atheroscler Suppl. 2017 Nov;30:271-277. doi: 10.1016/j.atherosclerosissup.2017.05.044	3,1
1 Günther C , Kind B, Reijns M, Berndt N, Martinez-Bueno M, Wolf C, Tüngler V, Chara O, Lee YA, Hübner N, Bicknell L, Blum S, Krug C, Schmidt F, Kretschmer S, Koss S, Astell K, Ramantani G, Bauerfeind A, Morris D, Cunningham Graham D, Bubeck D, Leitch A, Ralston S, Blackburn E, Gahr M, Witte T, Vyse T, Melchers I, Mangold E, Nöthen M, Aringer M, Kuhn A, Lüthke K, Unger L, Bley A, Lorenzi A, Isaacs J, Alexopoulou D, Conrad K, Dahl A, Roers A, Alarcon-Riquelme M, Jackson A, Lee-Kirsch MA. Defective removal of ribonucleotides from DNA promotes systemic autoimmunity. J Clin Invest 2015 Jan;125(1):413-24	13,8
2 Peschke K, Friebe F, Zimmermann N, Wahlicht T, Schumann T, Achleitner M, Berndt N, Luksch H, Behrendt R, Lee-Kirsch MA, Roers A, Günther C . Deregulated type I IFN response in TREX1-associated familial chilblain lupus. J Invest Dermatol. 2014 May;134(5):1456-9	6,4

Originalarbeiten	IF
3 Günther C , Blau K, Förster U, Viehweg A, Wozel G, Schäkel K. Reduction of inflammatory slan (6-sulfo LacNAc) dendritic cells in psoriatic skin of patients treated with etanercept. <i>Exp Dermatol.</i> 2013 Aug;22(8):535-40	4,1
4 Günther C , Starke J, Zimmermann N, Schäkel K. Human 6-sulfo LacNAc (slan) dendritic cells are a major population of dermal dendritic cells in steady state and inflammation. <i>Clin Exp Dermatol.</i> 2012 Mar;37(2):169-76	1,2
5 Günther C , Carballido-Perrig N, Kaesler S, Carballido JM, Biedermann T. CXCL16 and CXCR6 are upregulated in psoriasis and mediate cutaneous recruitment of human CD8+ T cells. <i>J Invest Dermatol.</i> 2012 Mar;132(3 Pt 1):626-34	6,4
6 Hänsel A, Günther C (*equal contribution) , Ingwersen J, Starke J, Schmitz M, Bachmann M, Meurer M, Rieber EP, Schäkel K. Human slan (6-sulfo LacNAc) dendritic cells are inflammatory dermal dendritic cells in psoriasis and drive strong TH17/TH1 T-cell responses. <i>J Allergy Clin Immunol.</i> 2011 Mar;127(3):787-94.	9,3
7 Günther C , Wozel G, Meurer M, Pfeiffer C. Upregulation of CCL11 and CCL26 is associated with activated eosinophils in bullous pemphigoid. <i>Clin Exp Immunol.</i> 2011 Nov;166(2):145-53	3,1
8 Günther C , Zimmermann N, Berndt N, Großer M, Stein A, Koch A, Meurer M. Up-Regulation of the Chemokine CCL18 by Macrophages Is a Potential Immunomodulatory Pathway in Cutaneous T-Cell Lymphoma. <i>Am J Pathol.</i> 2011;179(3):1434-42	5,2
9 Günther C , Carballido-Perrig N, Kopp T, Carballido JM, Pfeiffer C. CCL18 is expressed in patients with bullous pemphigoid and parallels disease course. <i>Br J Dermatol</i> 2009;160(4):747-55	4,2
10 Günther C , Bello-Fernandez C, Kopp T, Kund J, Carballido-Perrig N, Hinteregger S, Fassl S., Schwärzler C, Lametschwandtner G, Stingl G, Biedermann T, Carballido JM. CCL18 is expressed in atopic dermatitis and mediates skin homing of human memory T cells. <i>J Immunol.</i> 2005 Feb;174:1723-1728	7,4
11 Günther C , Wozel G, Dressler J, Meurer M, Pfeiffer C. Tissue eosinophilia in pemphigoid gestationis: association with eotaxin and upregulated activation markers on transmigrated eosinophils. <i>Am J Reprod Immunol.</i> 2004 Jan;51(1):32-9	1,8

Koautorschaften

Holtsche MM, Goletz S, van Beek N, Zillikens D, Benoit S, Harman K, Walton S, English J, Sticherling M, Chapman A, Levell NJ, Groves R, Williams HC, König IR, Schmidt E; members of the **BLISTER Study Group**. Prospective study in bullous pemphigoid: association of high serum anti-BP180 IgG levels with increased mortality and reduced Karnofsky score. *Br J Dermatol.* 2018 Oct;179(4):918-924. doi: 10.1111/bjd.16553.

Originalarbeiten

IF

- Kroschwald L, Suttorp M, Tauer JT, Zimmermann N, **Günther C**, Bauer A. Off-target effect of imatinib and nilotinib on human vitamin D3 metabolism. *Mol Med Rep.* 2018 Jan;17(1):1382-1388. doi: 10.3892/mmr.2017.7952. 1,9
- König N, Fiehn C, Wolf C, Schuster M, Cura Costa E, Tüngler V, Alvarez HA, Chara O, Engel K, Goldbach-Mansky R, **Günther C**, Lee-Kirsch MA. Familial chilblain lupus due to a gain-of-function mutation in STING. *Ann Rheum Dis.* 2017 Feb;76(2):468-472. doi: 10.1136 12,4
- Kavanagh D, McGlasson S, Jury A, Williams J, Scolding N, Bellamy C, **Gunther C**, Ritchie D, Gale DP, Kanwar YS, Challis R, Buist H, Overell J, Weller B, Flossmann O, Blunden M, Meyer EP, Krucker T, Evans SJ, Campbell IL, Jackson AP, Chandran S, Hunt DP. Type I interferon causes thrombotic microangiopathy by a dose-dependent toxic effect on the microvasculature. *Blood.* 2016 Dec 15;128(24):2824-2833. 15,1
- Peschke K, Achleitner M, Frenzel K, Gerbaulet A, Ada SR, Zeller N, Lienenklaus S, Lesche M, Poulet C, Naumann R, Dahl A, Ravens U, **Günther C**, Müller W, Knobeloch KP, Prinz M, Roers A, Behrendt R. Loss of Trex1 in Dendritic Cells Is Sufficient To Trigger Systemic Autoimmunity. *J Immunol.* 2016 Sep 15;197(6):2157-66. doi: 10.4049/jimmunol.1600722 4,5
- 12 Wolf C, Rapp A, Berndt N, Staroske W, Schuster M, Dobrick-Mattheuer M, Kretschmer S, König N, Kurth T, Wiczorek D, Kast K, Cardoso MC, **Günther C**, Lee-Kirsch MA. RPA and Rad51 constitute a cell intrinsic mechanism to protect the cytosol from self DNA. *Nat Commun.* 2016 May 27;7:11752. 11,3
- 13 Hunzelmann N, Riemekasten G, Becker M, Moinzadeh P, Kreuter A, Melchers I, Mueller-Ladner U, Meier F, Worm M, Lee H, Herrgott I, Pfeiffer C, Fierlbeck G, Henes J, Juche A, Zeidler G, Mensing H, **Günther C**, Sárdy M, Burkhardt H, Koehm M, Kuhr K, Krieg T, Sunderkötter C. The Predict Study: Low risk for digital ulcer development in Systemic Sclerosis patients with increasing disease duration and lack of topoisomerase-1 antibodies. *Br J Dermatol* 2016 Jun;174(6):1384-7. 4,3
- Moinzadeh P, Riemekasten G, Siegert E, Fierlbeck G, Henes J, Blank N, Melchers I, Mueller-Ladner U, Frerix M, Kreuter A, Tigges C, Lahner N, Susok L, **Guenther C**, Zeidler G, Pfeiffer C, Worm M, Karrer S, Aberer E, Bretterkieber A, Genth E, Simon JC, Distler JH, Hein R, Schneider M, Seitz CS, Herink C, Steinbrink K, Sárdy M, Varga R, Mensing H, Mensing C, Lehmann P, Neeck G, Fiehn C, Weber M, Goebeler M, Burkhardt H, Buslau M, Ahmadi-Simab K, Himsel A, Juche A, Koetter I, Kuhn A, Sticherling M, Hellmich M, Kuhr K, Krieg T, Ehrchen J, Sunderkoetter C, Hunzelmann N; German Network for Systemic Scleroderma. Vasoactive Therapy in Systemic Sclerosis: Real-life Therapeutic Practice in More Than 3000 Patients. *J Rheumatol.* 2016 Jan;43(1):66-74. doi: 10.3899/jrheum 3,1
- 14 Dobrota R, Maurer B, Graf N, Jordan S, Mihai C, Kowal-Bielecka O, Allanore Y, Distler O; EUSTAR coauthors (...**Günther C**...). Prediction of improvement in skin fibrosis in diffuse cutaneous systemic sclerosis: a EUSTAR analysis. *Ann Rheum Dis.* 2016 Mar 25 12,4

Originalarbeiten**IF**

- 15 Recke A, Vidarsson G, Ludwig RJ, Freitag M, Möller S, Vonthein R, Schellenberger J, Haase O, Görg S, Nebel A, Flachsbart F, Schreiber S, Lieb W, Gläser R, Benoit S, Sárdy M, Eming R, Hertl M, Zillikens D, König IR, Schmidt E, Ibrahim S; Allelic and copy-number variations of FcγRs affect granulocyte function and susceptibility for autoimmune blistering diseases. German AIBD Genetic Study Group (Georg Däschlein, Matthias Goebeler, Steven Goetze, **Claudia Günther**, Eva Hadaschik, Nicolas Hunzelmann, Alexander Kreuter, Undine Lippert, Michael Sticherling and Margitta Worm) *J Autoimmun.* 2015 Jul;61:36-44. 7,0
- 16 Hirose M, Schilf P, Benoit S, Eming R, Gläser R, Homey B, Kunz M, Nebel A, Peitsch WK, Pföhler C, Sárdy M, Schreiber S, Zillikens D, Schmidt E, Ibrahim SM; German AIBD Genetic Study Group. Polymorphisms in the mitochondrially encoded ATP synthase 8 gene are associated with susceptibility to bullous pemphigoid in the German population (Georg Däschlein, Matthias Goebeler, Steven Goetze, **Claudia Günther**, Eva Hadaschik, Nicolas Hunzelmann, Alexander Kreuter, Undine Lippert, Michael Sticherling and Margitta Worm). *Exp Dermatol.* 2015 Sep;24(9):715-7 4,1
- 17 Chalmers JR, Wojnarowska F, Kirtschig G, Nunn AJ, Bratton DJ, Mason J, Foster KA, Whitham D, Williams HC; BLISTER study group (....**Günther C**...). A randomized controlled trial to compare the safety and effectiveness of doxycycline (200 mg daily) with oral prednisolone (0.5 mg kg(-1) daily) for initial treatment of bullous pemphigoid: a protocol for the Bullous Pemphigoid Steroids and Tetracyclines (BLISTER) Trial. *Br J Dermatol.* 2015 Jul;173(1):227-34. 4,2
- 18 Skabytska Y, Wölbing F, **Günther C**, Köberle M, Kaesler S, Chen K, Guenova E, Demircioglu D, Kempf W, Volz T, Rammensee H-G, Schaller M, Röcken M, Götz F and Biedermann T. Cutaneous Innate Immune Sensing of Toll-like Receptor 2-6 Ligands Suppresses T Cell Immunity by Inducing Myeloid-Derived Suppressor Cells. *Immunity.* 2014 Nov 20;41(5):762-75. 19,7

- 19 Maurer B, Graf N, Michel BA, Müller-Ladner U, Czirják L, Denton CP, Tyndall A, Metzig C, Lanus V, Khanna D, Distler O; Tarner IH, Cerinic MM, Guiducci S, Walker U, Lapadula G, Iannone F, Becvar R, Sierakowsky S, Bielecka OK, Cutolo M, Sulli A, Valentini G, Cuomo G, Vettori S, Riemekasten G, Rednic S, Nicoara I, Kahan A, Allanore Y, Vlachoyiannopoulos P, Montecucco C, Caporali R, Carreira PE, Novak S, Varju C, Chizzolini C, Kucharz EJ, Kotulska A, Kopec-Medrek M, Widuchowska M, Cozzi F, Rozman B, Mallia C, Coleiro B, Gabrielli A, Farge D, Hij A, Airò P, Hesselstrand R, Scheja A, Wollheim F, Martinovic D, Gurman AB, Braun-Moscovici Y, Govoni M, Monaco AL, Hunzelmann N, Pellerito R, Bambara LM, Caramaschi P, Black C, Damjanov N, Santamaria VO, Heitmann S, Krasowska D, Seidel M, Oleszowsky M, Burkhardt H, Himsel A, Salvador MJ, Stamenkovic B, Stankovic A, Tikly M, Starovoytova MN, Ananieva LP, Scorza R, Engelhart M, Strauss G, Nielsen H, Damgaard K, Szücs G, Mendoza AZ, Buijdos CD, Sifuentes Giraldo WA, Midtvedt O, Garen T, Hachulla E, Launay D, Valesini G, Riccieri V, Ionescu RM, Opris D, Groseanu L, Wigley FM, Mihai CM, Cornateanu RS, Ionitescu R, Gherghe AM, Gorga M, Dobrota R, Bojinca M, Schett G, Distler JH, Meroni P, Zeni S, Mouthon L, Keyser FD, Cantatore FP, Corrado A, Ullman S, Iversen L, Pozzi MR, Eyerich K, Hein R, Knott E, Szechinski J, Wiland P, Szmyrka-Kaczmarek M, Sokolik R, Morgiel E, Krummel-Lorenz B, Saar P, Aringer M, **Günther C**, Anic B, Baresic M, Mayer M, Radominski SC, Müller CD, Azevedo VF, Agachi S, Groppa L, Chiaburu L, Russu E, Zenone T, Highton J, Stamp L, Chapman P, O'Donnell J, Solanki K, Doube A, Veale D, O'Rourke M, Loyo E, Li M, Rosato E, Pisarri S, Tanaseanu CM, Popescu M, Dumitrascu A, Tiglea I, Chiriac R, Ancuta C, E Furst D, Kafaja S, Lefebvre PG, Rubio SR, Exposito MV, Sibilia J, Chatelus E, Gottenberg JE, Chiffot H, Litinsky I, Venalis A, Butrimiene I, Venalis P, Rugiene R, Karpec D, Kerzberg E, Montoya F, Cosentino V. Prediction of worsening of skin fibrosis in patients with diffuse cutaneous systemic sclerosis using the EUSTAR database. *Ann Rheum Dis.* 2014 Jun 30. 9,3
- 20 Moinzadeh P, Aberer E, Ahmadi-Simab K, Blank N, Distler JH, Fierlbeck G, Genth E, **Guenther C**, Hein R, Henes J, Herich L, Herrgott I, Koetter I, Kreuter A, Krieg T, Kuhr K, Lorenz HM, Meier F, Melchers I, Mensing H, Mueller-Ladner U, Pfeiffer C, Riemekasten G, Sárdy M, Schmalzing M, Sunderkoetter C, Susok L, Tarner IH, Vaith P, Worm M, Wozel G, Zeidler G, Hunzelmann N; and all participating DNSS centers. Disease progression in systemic sclerosis-overlap syndrome is significantly different from limited and diffuse cutaneous systemic sclerosis. *Ann Rheum Dis.* 2015 Apr;74(4):730-7. doi: 10.1136/annrheumdis-2013-204487. 9,3
- 21 Sommer U, Larsson B, Tuve S, Wehner R, Zimmermann N, Kramer M, Kloß A, **Günther C**, Babatz J, Schmelz R, Brückner S, Schetelig J, Bornhäuser M, Schäkel K, Bachmann MP, Aust D, Baretton G, Schmitz M. Proinflammatory human 6-sulfo LacNAc-positive dendritic cells accumulate in intestinal acute graft-versus-host disease. *Haematologica.* 2014 Jun;99(6):e86-9 5,9

- 22 Thomas K, Dietze K, Wehner R, Metz I, Tumani H, Schultheiß T, **Günther C**, Schäkel K, Reichmann H, Brück W, Schmitz M, Ziemssen T. Accumulation and therapeutic modulation of 6-sulfo LacNAc(+) dendritic cells in multiple sclerosis. *Neurol Neuroimmunol Neuroinflamm*. 2014 Sep 18;1(3):e33
- 23 Elhai M, Avouac J, Walker UA, Matucci-Cerinic M, Riemekasten G, Airò P, Hachulla E, Valentini G, Carreira PE, Cozzi F, Balbir Gurman A, Braun-Moscovici Y, Damjanov N, Ananieva LP, Scorza R, Jimenez S, Busquets J, Li M, Müller-Ladner U, Kahan A, Distler O, Allanore Y, Guiducci S, Tyndall A, Lapadula G, Iannone F, Becvar R, Sierakowsky S, Bielecka OK, Cutolo M, Sulli A, Cuomo G, Vettori S, Rednic S, Nicoara I, Vlachoyiannopoulos P, Montecucco C, Caporali R, Novak S, Czirják L, Varju C, Chizzolini C, Kucharz EJ, Kotulska A, Kopec-Medrek M, Widuchowska M, Rozman B, Mallia C, Coleiro B, Gabrielli A, Farge D, Hij A, Hesselstrand R, Scheja A, Wollheim F, Martinovic D, Govoni M, Monaco AL, Hunzelmann N, Pellerito R, Bambara LM, Caramaschi P, Black C, Denton C, Henes J, Santamaria VO, Heitmann S, Krasowska D, Seidel M, Oleszowsky M, Burkhardt H, Himsel A, Salvador MJ, Stamenkovic B, Stankovic A, Tikly M, Starovoytova MN, Engelhart M, Strauss G, Nielsen H, Damgaard K, Szücs G, Zea Mendoza A, de la Puente Buijdos C, Sifuentes Giraldo WA, Midtvedt O, Garen T, Launay D, Valesini G, Riccieri V, Ionescu RM, Opris D, Groseanu L, Wigley FM, Mihai CM, Cornateanu RS, Ionitescu R, Gherghe AM, Gorga M, Dobrota R, Bojinca M, Schett G, Distler JH, Meroni P, Zeni S, Mouthon L, Keyser FD, Smith V, Cantatore FP, Corrado A, Ullman S, Iversen L, Pozzi MR, Eyerich K, Hein R, Knott E, Szechinski J, Wiland P, Szmyrka-Kaczmarek M, Sokolik R, Morgiel E, Krummel-Lorenz B, Saar P, Aringer M, **Günther C**, Anic B, Baresic M, Mayer M, Radominski SC, Müller CD, Azevedo VF, Agachi S, Groppa L, Chiaburu L, Russu E, Zenone T, Stebbings S, Highton J, Stamp L, Chapman P, Baron M, O'Donnell J, Solanki K, Doube A, Veale D, O'Rourke M, Loyo E, Rosato E, Pisarri S, Tanaseanu CM, Popescu M, Dumitrascu A, Tiglea I, Chirieac R, Ancuta C, Furst DE, Kafaja S, Lefebvre PG, Rubio SR, Exposito MV, Sibilia J, Chatelus E, Gottenberg JE, Chiffot H, Litinsky I, Venalis A, Butrimiene I, Venalis P, Rugiene R, Karpec D, Kerzberg E, Montoya F, Cosentino V.A gender gap in primary and secondary heart dysfunctions in systemic sclerosis: a EUSTAR prospective study. *Ann Rheum Dis*. 2014 Oct 23
- Guillevin L, Hunsche E, Denton CP, Krieg T, Schwierin B, Rosenberg D, Matucci-Cerinic M; **DUO Registry Group**. Functional impairment of systemic scleroderma patients with digital ulcerations: results from the DUO Registry. *Clin Exp Rheumatol*. 2013 Mar-Apr;31(2 Suppl 76):71-80. Epub 2013 Jul 22
- 24 Hänsel A, **Günther C**, Baran W, Bidier M, Lorenz HM, Schmitz M, Bachmann M, Döbel T, Enk AH, Schäkel K Human 6-sulfo LacNAc (slan) dendritic cells have molecular and functional features of an important pro-inflammatory cell type in lupus erythematosus. *J Autoimmun*. 2013 Feb;40:1-8

Originalarbeiten	IF
25 Müller H, Rehberger P, Günther C , Schmitt J. Determinants of disability, quality of life and depression in dermatological patients with systemic scleroderma. Br J Dermatol. 2012 Feb;166(2):343-53	4,1
26 Rehberger P, Müller H, Günther C , Schmitt J. Treatment satisfaction and health status in patients with systemic sclerosis. J Dtsch Dermatol Ges. 2012 Dec;10(12):905-12	1,8
27 Novak H, Muller A, Harrer N, Günther C , Carballido JM, Woisetschlager M. CCL23 expression is induced by IL-4 in a STAT6-dependent fashion. J Immunol. 2007 Apr 1;178(7):4335-41.	7,4
28 Lametschwandtner G, Biedermann T, Schwärzler C, Günther C , Kund J, Fassl S, Hinteregger S, Carballido-Perrig N, Szabo SJ, Glimcher LH and Carballido JM. Sustained T-bet expression confers polarized human Th2 cells with Th1-like cytokine production and migratory capacities. J Allergy Clin Immunol. 2004 May;113(5):987-94	7,2
29 Schäkel K, Poppe C , Mayer E, Federle C, Riethmüller G, Rieber E P. M-DC8+ Leukocytes – a novel human dendritic cell population. Pathobiol 1999, 67: 287-290	1,3

Fallmitteilungen	IF
Tüngler V, König N, Günther C , Engel K, Fiehn C, Smitka M, von der Hagen M, Berner R, Lee-Kirsch MA. Response to: 'JAK inhibition in STING-associated interferonopathy' by Crow et al. Ann Rheum Dis. 2016 Dec;75(12):e76. doi: 10.1136/annrheumdis-2016-210565.	12,4
1 Günther C , Berndt N, Wolf C, Lee-Kirsch MA. Familial chilblain lupus due to a novel mutation in the exonuclease 3 domain of three prime repair exonuclease 1 (TREX1). JAMA Dermatol 2014 Dec 17	4,3
2 Günther C , Hillebrand M, Brunk J, Lee-Kirsch MA. Systemic involvement in TREX1-associated familial chilblain lupus. J Am Acad Dermatol. 2013 Oct;69(4):e179-81	5,0
3 Tüngler V, Silver RM, Walkenhorst H, Günther C , Lee-Kirsch MA. Inherited or de novo mutation affecting aspartate 18 of TREX1 results in either familial chilblain lupus or Aicardi-Goutières syndrome. Br J Dermatol. 2012 Jul;167(1):212-4	4,1
4 Günther C , Aringer M, Lochno M, Kämmerer E, Bauer A, Wozel G, Meurer M. TNF-alpha blockade with infliximab in a patient with lupus erythematosus profundus. Acta Derm Venereol. 2012 Jul;92(4):401-3	4,2

Fallmitteilungen	IF
5 Günther C , Meurer M, Stein A, Viehweg A, Lee-Kirsch MA. Familial chilblain lupus – a monogenic form of cutaneous lupus erythematosus due to a heterozygous mutation in TREX1. <i>Dermatology</i> 2009;219(2):162-6.	2,7
6 Herrmann T, Günther C , Csere P. Localized morphea – a rare but significant secondary complication following breast cancer radiotherapy. Case report and review of the literature on radiation reaction among patients with scleroderma/morphea. <i>Strahlenther Onkol.</i> 2009 Sep;185(9):603-7	3,8
7 Günther C , Laske J, Frind A, Julius U, Pfeiffer C. Successful therapy of pemphigus vulgaris with immunoabsorption using the TheraSorb™ adsorber. <i>J Dtsch Dermatol Ges.</i> 2008 Mar 27	1,4
8 Günther C , Wozel G, Meurer M, Pfeiffer C. Topical tacrolimus treatment for cicatricial pemphigoid. <i>J Am Acad Dermatol.</i> 2004 Feb;50(2):325-6	2,3
9 Günther C , Schmitt J, Wozel G. Erfolgreicher Einsatz von Fumarsäureestern bei einer 14-jährigen Patientin mit Psoriasis vulgaris. <i>Haut</i> 2004, 15: 28–30	
10 Guenther C , Wozel G, Laske J, Aschoff R, Meurer M. Macular exanthema due to fumaric acid esters. <i>Ann Pharmacother.</i> 2003 Feb;37(2):234-6	1,8
11 Poppe C , Stockel S, Sebastian G. Giant cavernous hemangioma of the scalp. <i>Hautarzt.</i> 2002 Apr;53(4):261-4	0,4

Übersichtsarbeiten

Meurer M, Günther C . [37-year-old male with confluent papules and arcuate erythematous squamous plaques on the upper trunk and arms : Preparation for the specialist examination: part 22]. <i>Hautarzt.</i> 2018 Nov;69(Suppl 2):173-176. doi: 10.1007/s00105-018-4297-0.	0,7
Gellrich FF, Günther C . [Schnitzler syndrome]. <i>Hautarzt.</i> 2018 Sep;69(9):761-772. doi: 10.1007/s00105-018-4250-2	0,7
Hedrich CM, Günther C , Aringer M. [Still's disease in children and adults]. <i>Z Rheumatol.</i> 2017 Sep;76(7):595-608. doi: 10.1007/s00393-017-0358-5.	0,6
Hedrich CM, Günther C , Aringer M. [Still's disease in children and adults]. <i>Hautarzt</i> 2017 Jun;68(6):497-511. doi: 10.1007/s00105-017-3983-7.	0,7
Günther C . [Involvement of mucous membranes in autoimmune bullous diseases]. <i>Hautarzt.</i> 2016 Oct;67(10):774-779.	0,6

- Lee-Kirsch MA, **Günther C**, Roers A. Nucleic acid-mediated autoinflammation and autoimmunity-type I interferonopathies. *J Mol Med (Berl)*. 2016 Oct;94(10):1081-1084. 4,9
- 1 **Günther C**, Schmidt F, König N, Lee-Kirsch MA. Type I interferonopathies : Systemic inflammatory diseases triggered by type I interferons]. *Z Rheumatol*. 2016 Jan 7. 0,6
 - 2 Aringer M, Müller-Ladner U, Burkhardt H, Distler JH, Distler O, Graninger WB, **Günther C**, Hunzelmann N, Kiener H, Sticherling M, Sunderkötter C, Walker UA, Riemekasten G. Common German language nomenclature for systemic sclerosis. *Z Rheumatol*. 2015 Mar;74(2):100-3. 0,6
 - 3 **Günther C**, Beissert S. Lupus erythematoses. *Hautarzt*. 2015 Aug;66(8):611-6. 0,5
 - 4 **Günther C**. Genetics of lupus erythematosus. *Hautarzt*. 2015 Feb 7. 0,5
 - 5 Raap U, **Günther C**. Pathogenesis of prurigo nodularis. *Hautarzt*. 2014 Aug;65(8):691-6 0,5
 - 6 Lee-Kirsch MA, Wolf C, **Günther C**. Aicardi-Goutières syndrome: a model disease for systemic autoimmunity. *Clin Exp Immunol*. 2014 Jan;175(1):17-24 3,3
 - 7 Aringer M, **Günther C**, Lee-Kirsch MA. Innate immune processes in lupus erythematosus. *Clin Immunol*. 2013 Jun;147(3):216-22 4,0
 - 8 Pfeiffer C, **Günther C**. Physiologische Hautveränderung oder Schwangerschaftsdermatose? *Gynäkologie und Geburtshilfe* 2009; 10: 36-43
 - 9 **Günther C**, Hertl M, Meurer M. Diagnostic use of autoantibodies. *Hautarzt* 2007 Dec;58(12):1063-1075. 0,4
 - 10 **Günther C**, Pfeiffer C. Chemokine in der Pathogenese der atopischen Dermatitis. *Allergojournal* 2007 Apr; 03:186-192
 - 11 Pfeiffer C, **Günther C**. Schwangerschaft und Haut: Physiologische Hautveränderungen, spezifische Verläufe vorbestehender Dermatosen und Schwangerschaftsdermatosen. *Dtsch Dermatologe* 2007: 689-695