

## References October 03 2020

### Non-corona-associated literature

The **Olfactory** Cleft Endoscopy Scale: a multi-institutional validation study in chronic rhinosinusitis.

Schlosser RJ, Smith TL, Mace JC, Alt JA, Beswick DM, Mattos JL, Ramakrishnan V, Massey C, Soler ZM.*Rhinology*. 2020 Oct 2. doi: 10.4193/Rhin20.307.

Odor perception depends on airflow, odor solubility and intranasal application site.

Chen B, Pfister A, Nahrath P, Hummel T.*Rhinology*. 2020 Oct 2. doi: 10.4193/Rhin20.393.

Predictive Value of Odor Identification for Incident Dementia: The Shanghai Aging Study.

Ding D, Xiao Z, Liang X, Wu W, Zhao Q, Cao Y.*Front Aging Neurosci*. 2020 Aug 26;12:266.

**Taste** perception and lifestyle: insights from phenotype and genome data among Africans and Asians.

Sjöstrand AE, Sjödin P, Hegay T, Nikolaeva A, Shayimkulov F, Blum MGB, Heyer E, Jakobsson M.*Eur J Hum Genet*. 2020 Oct 1. doi: 10.1038/s41431-020-00736-2.

Prognostic factors of recovery with medication in patients with **taste** disorders.

Nomura Y, Toi T, Ikeda M, Ikeda A, Tanaka M, Oshima T.*PLoS One*. 2020 Oct 1;15(10):e0237270.

Global study of variability in **olfactory** sensitivity.

Oleszkiewicz A, Alizadeh R, Altundag A, Chen B, Corrai A, Fanari R, Farhadi M, Gupta N, Habel R, Hudson R, Hughes JL, Joshi A, Kamrava SK, Luckett C, Mahmut MK, Masala C, Mori E, Pellegrino R, Piras R, Resler K, Rivas-Castro A, Saluja S, Sharma S, Shimmura H, Soler GM, Stefańczyk MM, Sun Z, Thaploo D, Wei Y, Yan X, Hummel T.*Behav Neurosci*. 2020 Oct;134(5):394-406.

Effects of varying the standard deviation of the luminance on the appearance of food, flavour expectations, and **taste**/flavour perception.

Ueda J, Spence C, Okajima K.*Sci Rep*. 2020 Sep 30;10(1):16175.

[Aging and disorders of **taste** and **smell**].

Jacquot L, Bereau M.*Soins Gerontol*. 2020 Sep-Oct;25(145):18-21.

**A possible link between olfaction and miscarriage.**

Borak N, Kohl J. *Elife*. 2020 Sep 29;9:e62534.

**Association of olfactory neuropathy spectrum disorder and Wolff-Parkinson-White syndrome: A Report of a case.**

Gore MR. *Clin Case Rep*. 2020 May 25;8(9):1638-1641.

**Subjective and Objective Assessments of Post-traumatic Olfactory Dysfunction.**

Limphaibool N, Iwanowski P, Kozubski W, Swidziński T, Frankowska A, Kamińska I, Linkowska-Swidzińska K, Sekula A, Swidziński P, Maciejewska-Szaniec Z, Maciejewska B. *Front Neurol*. 2020 Aug 26;11:970.

**Smell, an Underrated Early Biomarker for Brain Aging.**

Brai E, Hummel T, Alberi L. *Front Neurosci*. 2020 Aug 25;14:792.

**Olfactory hallucinations in Alzheimer's disease.**

El Haj M, Larøi F. *Acta Neuropsychiatr*. 2020 Sep 28:1-26.

**Olfactory cleft polyposis and respiratory epithelial adenomatoid hamartoma in eosinophilic chronic rhinosinusitis.**

Akiyama K, Samukawa Y, Hoshikawa H. *Int Forum Allergy Rhinol*. 2020 Sep 27.

**Mechanical tongue cleaning is a worthwhile procedure to improve the taste sensation.**

Timmesfeld N, Kunst M, Fondel F, Güldner C, Steinbach S. *J Oral Rehabil*. 2020 Sep 26. d

**Olfactory impairment and the risk of cognitive decline and dementia in older adults: a meta-analysis.**

Chen Z, Xie H, Yao L, Wei Y. *Braz J Otorhinolaryngol*. 2020 Sep 12:S1808-8694(20)30139-7.

**Evaluation of olfactory dysfunction to estimate the presence of eosinophilic chronic rhinosinusitis in patients with asthma.**

Takahashi K, Sadamatsu H, Suzuki K, Tashiro H, Kimura S, Kuratomi Y, Sueoka-Aragane N. *Respir Investig*. 2020 Sep 22:S2212-5345(20)30121-0.

## Corona-associated literature

Novel ENT triad of anosmia, ageusia and hearing impairment in COVID-19.  
Jacob J, Flannery W, Mostert C. *Intern Med J.* 2020 Sep;50(9):1155.

Anosmia in COVID-19 patients.

Hornuss D, Lange B, Schröter N, Rieg S, Kern WV, Wagner D. *Clin Microbiol Infect.* 2020 Oct;26(10):1426-1427.

Managing long covid: don't overlook **olfactory** dysfunction.

Hopkins C, Burges Watson DL, Kelly C, Leary V, Smith BC. *BMJ.* 2020 Sep 25;370:m3736.

[HTML] [Emergence and Evolution of Olfactory and Gustatory Symptoms in Patients with COVID-19 in the Outpatient Setting](#)

M Karimi-Galouegahi, AS Naini, J Ghorbani, N Raad... - Indian Journal of ..., 2020

[HTML] [Gustatory Dysfunction: A Highly Specific and Smell-Independent Symptom of COVID-19](#)

LA Vaira, JR Lechien, G Salzano, FA Salzano... - Indian Journal of ..., 2020

[Taste and smell loss in patients with COVID-19].

Fjældstad AW, Ovesen T. *Ugeskr Laeger.* 2020 Aug 31;182(36):V06200442.

Neuropilin-1 as a new potential SARS-CoV-2 infection mediator implicated in the neurologic features and central nervous system involvement of COVID-19.

Davies J, Randeva HS, Chatha K, Hall M, Spandidos DA, Karteris E, Kyrou I. *Mol Med Rep.* 2020 Nov;22(5):4221-4226.

Early recovery patterns of **olfactory** disorders in COVID-19 patients; a clinical cohort study.

Amer MA, Elsherif HS, Abdel-Hamid AS, Elzayat S. *Am J Otolaryngol.* 2020 Sep 14;41(6):102725.

