

References October 31 2020

Non-corona-associated literature

[PDF] [The Aetiology of Olfactory Dysfunction and Its Relationship to Diet Quality](#)
RJ Stevenson, MK Mahmut, A Horstmann, T Hummel - Brain Sciences, 2020

[Sniffin'Sticks to Measure Olfactory Function and Recovery Following Bilateral Superior Turbinate Resection as Part of Endoscopic Transsphenoidal Approach](#)
SW Gong, S Ahmadi, SL Blackburn, L Ulin, MJ Citardi... - Annals of Otology ..., 2020

[Association Between Olfactory Dysfunction and Mortality in US Adults](#)
JS Choi, SS Jang, J Kim, K Hur, E Ference, B Wrobel - JAMA Otolaryngology—Head & Neck ...

[Occupational pesticide use and self-reported olfactory impairment in US farmers](#)
S Shrestha, DM Umbach, LEB Freeman, S Koutros... - Occupational and ..., 2020

[Correlates of olfactory impairment in middle-aged non-diabetic Caucasian subjects with stage I-II obesity](#)
J Campolo, E Corradi, A Rizzardi, M Parolini... - European Archives of Oto ..., 2020

[Nasal airflow engages central olfactory processing and shapes olfactory percepts](#)
F Yao, Y Ye, W Zhou - Proceedings of the Royal Society B, 2020

[PDF] [Alteration, Reduction and Taste Loss: Main Causes and Potential Implications on Dietary Habits](#)
D Rissi, D Drayna, G Morini - Nutrients, 2020

[Individual differences in responsiveness to oral sensations and odours with chemesthetic activity: relationships between sensory modalities and impact on the hedonic ...](#)
M Piochi, C Dinnella, S Spinelli, E Monteleone, L Torri - Food Quality and Preference, 2020

[HTML] [Olfactory-colour crossmodal correspondences in art, science, and design](#)
C Spence - Cognitive Research: Principles and Implications, 2020

[The effects of caffeine on olfactory function and mood: an exploratory study.](#)

Stafford LD, Orgill K. *Psychopharmacology (Berl)*. 2020 Oct 29. doi: 10.1007/s00213-020-05695-6.

Adult chronic rhinosinusitis.

Bachert C, Marple B, Schlosser RJ, Hopkins C, Schleimer RP, Lambrecht BN, Bröker BM, Laidlaw T, Song WJ. *Nat Rev Dis Primers*. 2020 Oct 29;6(1):86.

Alteration, Reduction and Taste Loss: Main Causes and Potential Implications on Dietary Habits.

Risso D, Drayna D, Morini G. *Nutrients*. 2020 Oct 27;12(11):E3284.

"That's bitter!": Culture-specific effects of gustatory experience on judgments of fairness and advancement.

Xu J, Wan F, Schwarz N. *J Exp Psychol Gen*. 2020 Oct 29.

The influence of cognitive parameters on olfactory assessment in healthy children and adolescents.

Gellrich J, Sparing-Paschke LM, Hummel T, Schriever VA. *Chem Senses*. 2020 Oct 29:bjaa072.

How bitter taste influences nutrition and health in primary care.

Bray SC, Carek PJ. *J Family Med Prim Care*. 2020 Jul 30;9(7):3205-3208.

Regional deposition of the allergens and micro-aerosols in the healthy human nasal airways.

Hazeri M, Faramarzi M, Sadrizadeh S, Ahmadi G, Abouali O. *J Aerosol Sci*. 2020 Oct 19:105700.

Corona-associated literature

Loss of smell in COVID-19 patients: a critical review with emphasis on the use of olfactory tests.

Marchese-Ragona R, Restivo DA, De Corso E, Vianello A, Nicolai P, Ottaviano G. *Acta Otorhinolaryngol Ital*. 2020 Aug;40(4):241-247.

Trend of Olfactory and Gustatory Dysfunction in COVID-19 Patients in a Quarantine Facility.

Seo MY, Seok H, Hwang SJ, Choi HK, Jeon JH, Sohn JW, Park DW, Lee SH, Choi WS. *J Korean Med Sci*. 2020 Oct 26;35(41):e375.

MR Imaging of the Olfactory Bulbs in Patients with COVID-19 and Anosmia: How to Avoid Misinterpretation.

Shor N, Chougar L, Pyatigorskaya N. AJNR Am J Neuroradiol. 2020 Oct 29.

Olfactory bulb magnetic resonance imaging in SARS-CoV-2-induced anosmia in pediatric cases.

Hatipoglu N, Mine Yazici Z, Palabiyik F, Gulustan F, Sayin I. Int J Pediatr Otorhinolaryngol. 2020 Oct 24;139:110469.

Neurological manifestations of patients infected with the SARS-CoV-2: a systematic review of the literature.

Cagnazzo F, Arquizan C, Derraz I, Dargazanli C, Lefevre PH, Riquelme C, Gaillard N, Mourand I, Gascou G, Bonafe A, Costalat V. J Neurol. 2020 Oct 30. doi: 10.1007/s00415-020-10285-9.

Silent disease and loss of taste and smell are common manifestations of SARS-CoV-2 infection in a quarantine facility: Saudi Arabia.

Alshami A, Alattas R, Anan H, Alhalimi A, Alfaraj A, Al Qahtani H. PLoS One. 2020 Oct 30;15(10):e0241258. doi: 10.1371/journal.pone.0241258.

[HTML] Evaluation of Olfactory Acuity in Patients with Coronavirus Disease 2019 (COVID-19)

NN Shah, RT Hussain, H Mustafa, M Mushtaq, M Ali - Indian Journal of ..., 2020

[PDF] Potential control of COVID-19 symptoms by Nrf2-interacting nutrients with TRPA1 (transient receptor potential ankyrin 1) agonist activity

J Bousquet, W Czarlewski, T Zuberbier

Pharmacologic therapy of olfaction disorders induced by COVID-19 upper respiratory infection.

HJ Min - Journal of the Korean Medical Association/Taehan ..., 2020

[PDF] Epidemiological, Otolaryngological, Olfactory and Gustatory Outcomes According to the Severity of COVID-19: A study of 2,579 Patients.

J Lechien, C Chiesa-Estomba, L Vaira, G De Riu... - Authorea Preprints, 2020