

Non-corona-associated literature

[Perceived utility of electronic noses in patients with loss of smell](#)

M Pinger, J Draf, T Lakner, C Ferdenzi, C Rouby... - European Archives of Oto ..., 2021

[\[HTML\] Pain, Smell, and Taste in Adults: A Narrative Review of Multisensory Perception and Interaction](#)

A Sandri, MP Cecchini, M Riello, A Zanini, R Nocini... - Pain and Therapy, 2021

[\[PDF\] Disease specific alterations in the **olfactory** mucosa of patients with Alzheimer's disease](#)

R Giugno, S Chew, KM Kanninen

[Anosmia: an evidence-based approach to diagnosis and management in primary care](#)

PG Deutsch, C Evans, NW Wahid, AD Amlani... - British Journal of General ..., 2021

[Human hippocampal connectivity is stronger in olfaction than other sensor systems](#)

G Zhou, J Olofsson, MZ Koubeissi, G Menelaou... - Progress in Neurobiology, 2021

[\[PDF\] Neural processing of the reward value of pleasant odorants](#)

M Breton, J Forest, N Noury, M Richard, O Raineteau... - Current Biology, 2021

The association between halitosis and chemosensory disorders: a systematic review.

Cassiano LS, Leite FRM, López R, Fjaeldstad AW, Nascimento GG. Oral Dis. 2021 Mar 4. doi: 10.1111/odi.13823.

Using the Chinese **Smell** Identification Test to explore **olfactory** function in Parkinson's disease.

Xing F, Mo Y, Chen X, Liu T, Wang K, Hu P. J Clin Exp Neuropsychol. 2021 Mar 4;1-8. doi: 10.1080/13803395.2021.1891207.

The Sinonasal Outcome Test (SNOT-22) Is a Poor Diagnostic Tool for Chronic Rhinosinusitis.

Yim MT, Orlandi RR, Oakley GM, Alt JA. Ann Otol Rhinol Laryngol. 2021 Mar 4;3489421998213.

A simple method for **olfactory** rehabilitation following total laryngectomy.

Kesimli MC, Kaya D, Aydemir L, Durmaz HÖ. Eur Arch Otorhinolaryngol. 2021 Mar 2.

Subthreshold chemesthetic stimulation can enhance flavor lastingness of a soft chewable candy.

Kim EH, Paredes D, Motoi L, Eckert M, Wadamori Y, Tartaglia J, Wade C, Green C, Hedderley DH, Morgenstern MP. Food Res Int. 2021 Feb;140:109883.

Olfactory Impairment is Related to Tau Pathology and Neuroinflammation in Alzheimer's Disease.

Klein J, Yan X, Johnson A, Tomljanovic Z, Zou J, Polly K, Honig LS, Brickman AM, Stern Y, Devanand DP, Lee S, Kreisl WC. *J Alzheimers Dis.* 2021 Feb 20.

Sensory Cueing of Autobiographical Memories in Normal Aging and Alzheimer's Disease: A Comparison Between Visual, Auditory, and **Olfactory** Information.

Lopis D, Pape TL, Manetta C, Conty L. *J Alzheimers Dis.* 2021 Feb 25. doi: 10.3233/JAD-200841.

Prognostic value of **olfactory** evoked potentials in patients with post-infectious **olfactory** dysfunction.

Guo Y, Wu D, Sun Z, Yao L, Liu J, Wei Y. *Eur Arch Otorhinolaryngol.* 2021 Mar 1.

Investigation of Normative Value of Commercialized Taiwan **Smell** Identification Test.

Hsieh CH, Chen PG, Zhou B, Lin LJ, Lai JT, Shen PH. *Allergy Rhinol (Providence).* 2021 Feb 15;12:2152656721991525.

Altered **Taste** Perception for Sodium Chloride in Patients With Primary Aldosteronism: A Prospective Cohort Study.

Adolf C, Gorge V, Heinrich DA, Hoster E, Schneider H, Handgriff L, Kunzel H, Sturm L, Beuschlein F, Reincke M. *Hypertension.* 2021 Mar 1:HYPERTENSIONAHA12016440.

A systems-wide understanding of the human **olfactory** percept chemical space.

Kowalewski J, Huynh B, Ray A. *Chem Senses.* 2021 Feb 26:bjab007. doi: 10.1093/chemse/bjab007.

Human hippocampal connectivity is stronger in **olfaction** than other sensor systems.

Zhou G, Olofsson J, Koubeissi MZ, Menelaou G, Rosenow J, Schuele SU, Xu P, Voss J, Lane G, Zelano C. *Prog Neurobiol.* 2021 Feb 25:102027. doi: 10.1016/j.pneurobio.2021.102027.

Corona-associated literature

COVID-19 anosmia and **gustatory** symptoms as a prognosis factor: a subanalysis of the HOPE COVID-19 (Health Outcome Predictive Evaluation for COVID-19) registry.

Porta-Etessam J, Nunez-Gil IJ, Gonzalez Garcıa N, Fernandez-Perez C, Viana-Llamas MC, Eid CM, Romero R, Molina M, Uribarri A, Becerra-Munoz VM, Aguado MG, Huang J, Rondano E, Cerrato E, Alfonso E, Mejıa AFC, Marin F, Roubin SR, Pepe M, Feltes G, Mate P, Cortese B, Buzon L, Mendez JJ, Estrada V. *Infection.* 2021 Mar 1:1-8. doi: 10.1007/s15010-021-01587-9.

[PDF] [Long COVID neuropsychological deficits after severe, moderate or mild infection](#)

P Voruz, G Allali, L Benzakour, A Nuber-Champier... - medRxiv, 2021

Smell disorders in COVID-19 patients: role of **olfactory** training: A protocol for systematic review and meta-analysis.

Zhang Y, Mei T, Chen Y, Wang L, Jiang L, Liu K, Zhao L, Luo Z, Chi W, Zhu X. *Medicine (Baltimore)*. 2021 Feb 26;100(8):e24862.

Tracking **smell** loss to identify healthcare workers with SARS-CoV-2 infection.

Weiss JJ, Attuquayefio TN, White EB, Li F, Herz RS, White TL, Campbell M, Geng B, Datta R, Wyllie AL, Grubaugh ND, Casanovas-Massana A, Muenker MC, Moore AJ, Handoko R, Iwasaki A, Martinello RA, Ko AI, Small DM, Farhadian SF; Yale IMPACT Research Team. *PLoS One*. 2021 Mar 3;16(3):e0248025.