

## References august 22 2020

### Non-corona-associated literature

[PDF] [Alteraciones del olfato en la obesidad](#)

M Guarneros, M Martínez-Gómez, L Arteaga - TIP Revista Especializada en Ciencias ..., 2020

[HTML] [Individual variability of olfactory fMRI in normosmia and olfactory dysfunction](#)

Z Yunpeng, P Han, A Joshi, T Hummel - European Archives of Oto-Rhino ..., 2020

[Investigating the relationship between olfactory acuity, disgust, and mating strategies](#)

ML Prokosch, Z Airington, DR Murray - Evolution and Human Behavior, 2020

[HTML] [Olfactory markers for depression: Differences between bipolar and unipolar patients](#)

F Kazour, S Richa, C Abi Char, A Surget, W Elhage... - PloS one, 2020

[Age differences in olfactory affective responses: evidence for a positivity effect and an emotional dedifferentiation](#)

S Vieillard, L Ronat, A Bacarani, B Schaal... - Aging, Neuropsychology ..., 2020

[The influence of a child's age on the evaluation of smells and their hedonistic assessment](#)

P Brothánková, J Vodička, J Bažant - European Journal of Pediatrics, 2020

[HTML] [Ortho-and retronasal olfactory performance in rhinosurgical procedures: a longitudinal comparative study](#)

G Besser, DT Liu, G Sharma, TJ Bartosik, S Kaphle... - European Archives of Oto ..., 2020

[HTML] [Olfactory dysfunction in frontotemporal dementia and psychiatric disorders: A systematic review](#)

SE Carnemolla, JW Hsieh, R Sipione, BN Landis... - ... & Biobehavioral Reviews, 2020

[Outcomes of Endoscopic Sinus Surgery in Geriatric Patients: An Institutional Study](#)

A Dhanuka, K Rout, D Jena - Indian Journal of Otolaryngology and Head & Neck ..., 2020

Thallium-201 Imaging in Intact **Olfactory** Sensory Neurons with Reduced Pre-Synaptic Inhibition In Vivo.

Shiga H, Wakabayashi H, Washiyama K, Noguchi T, Hiromasa T, Miyazono S, Kumai M, Ogawa K, Taki J, Kinuya S, Miwa T. *Mol Neurobiol.* 2020 Aug 20.

Microglia is associated with p-Tau aggregates in the **olfactory** bulb of patients with neurodegenerative diseases.

Carmona-Abellan M, Martinez-Valbuena I, Marcilla I, DiCaudo C, Gil I, Nuñez J, Luquin MR. *Neurol Sci.* 2020 Aug 20.

Salt **taste** perception and blood pressure levels in population-based samples: the Circulatory Risk in Communities Study (CIRCS).

Kudo A, Kitamura A, Imano H, Cui R, Umesawa M, Yamagishi K, Ohira T, Muraki I, Hayama-Terada M, Kiyama M, Iso H; for CIRCS Investigators. *Br J Nutr.* 2020 Aug 20:1-9.

Normal **Olfactory** Functional Connectivity Despite Lifelong Absence of **Olfactory** Experiences.

Peter MG, Fransson P, Mårtensson G, Postma EM, Nordin LE, Westman E, Boesveldt S, Lundström JN. *Cereb Cortex.* 2020 Aug 19:bhaa217.

Self-reported course of **olfactory** impairment determines outcome for successful surgical intervention in nasal polyps with anosmia.

Zhang W, Meng Y, Wang C, Cao F, Zhang L. *Acta Otolaryngol.* 2020 Aug 18:1-7.

Individual variability of **olfactory** fMRI in normosmia and **olfactory** dysfunction.

Yunpeng Z, Han P, Joshi A, Hummel T. *Eur Arch Otorhinolaryngol.* 2020 Aug 14.

**Olfactory** function deteriorates in patients with Parkinson's disease complicated with REM sleep behavior disorder.

Nomura T, Nomura Y, Oguri M, Hirooka Y, Hanajima R. *eNeurologicalSci.* 2020 Aug 3;20:100261.

Comparison of **gustatory** function between mucosal and squamous disease: a randomised controlled study.

Anant A, Lal P, Pradhan P.J Laryngol Otol. 2020 Aug 17:1-6.

The influence of a child's age on the evaluation of **smells** and their hedonistic assessment.

Brothánková P, Vodička J, Bažant J.Eur J Pediatr. 2020 Aug 14.

Sweet **taste** does not modulate pain perception in adult humans.

Mooney ER, Davies AJ, Pickering AE.Wellcome Open Res. 2020 Aug 5;5:43.

## Corona-associated literature

### [Olfactory acuity test while pre-symptomatic for COVID-19](#)

GA Bell - Journal and Proceedings of the Royal Society of New ..., 2020

### [\[HTML\] The COVID-19 may help enlightening how emotional food is](#)

G Coppin - npj Science of Food, 2020

### [COVID-19 Viral Load in the Severity of and Recovery from Olfactory and Gustatory Dysfunction](#)

RHW Cho, ZWH To, ZWC Yeung, EYK Tso, KSC Fung... - The Laryngoscope

### [An Integrated Care Strategy for the Follow-up of Patients With COVID-19–Associated Chemosensory Dysfunction](#)

LG Locatello, G Maggiore, C Bruno, M Trotta, O Gallo - Otolaryngology–Head and ..., 2020

### [The Cellular basis of loss of smell in 2019-nCoV-infected individuals](#)

K Gupta, SK Mohanty, A Mittal, S Kalra, S Kumar... - Briefings in Bioinformatics, 2020

[\[HTML\] A Review of the Importance of Atypical Otorhinolaryngological Symptoms in the Screening of COVID-19 Patients](#)

G Kaur, A Mohan, E Mohan, M Mohan - Indian Journal of Otolaryngology and Head ..., 2020

Paediatric **olfactory** dysfunction: a chance to detect COVID-19?

Hall A, Frauenfelder C, Butler C, Coyle P, Hopkins C. Arch Dis Child. 2020 Aug 20;archdischild-2020-319971.

Brain Imaging of Patients with COVID-19: Findings at an Academic Institution during the Height of the Outbreak in New York City.

Lin E, Lantos JE, Strauss SB, Phillips CD, Champion TR Jr, Navi BB, Parikh NS, Merkler AE, Mir S, Zhang C, Kamel H, Cusick M, Goyal P, Gupta A. AJNR Am J Neuroradiol. 2020 Aug 20.

Elevated ACE2 expression in the **olfactory** neuroepithelium: implications for anosmia and upper respiratory SARS-CoV-2 entry and replication.

Chen M, Shen W, Rowan NR, Kulaga H, Hillel A, Ramanathan M Jr, Lane AP. Eur Respir J. 2020 Aug 18;2001948.

A Case of COVID-19 with Late-Onset Rash and Transient Loss of **Taste** and **Smell** in a 15-Year-Old Boy.

Maniaci A, Iannella G, Vicini C, Pavone P, Nunnari G, Falsaperla R, Di Mauro P, Ferlito S, Cocuzza S. Am J Case Rep. 2020 Aug 20;21:e925813.

Comparison of COVID-19 and common cold chemosensory dysfunction.

Huart C, Philpott C, Konstantinidis I, Altundag A, Trecca EMC, Cassano M, Rombaux P, Hummel T. Rhinology. 2020 Aug 19. doi: 10.4193/Rhin20.251.

Loss of **Taste** and **Smell** are Common Clinical Characteristics of Patients with COVID-19 in Somalia: A Retrospective Double Centre Study.

Farah Yusuf Mohamud M, Garad Mohamed Y, Mohamed Ali A, Ali Adam B. Infect Drug Resist. 2020 Jul 29;13:2631-2635.

Acute loss of **smell** and **taste** among patients with symptoms compatible with COVID-19.

Bodnia NC, Katzenstein TL. *Dan Med J*. 2020 Aug 6;67(9):A05200370.

COVID-19 Viral Load in the Severity of and Recovery  
from **Olfactory** and **Gustatory** Dysfunction.

Cho RH, To ZW, Yeung ZW, Tso EY, Fung KS, Chau SK, Leung EY, Hui TS, Tsang SW, Kung KN, Chow EY, Abdullah V, van Hasselt A, Tong MC, Ku PK. *Laryngoscope*. 2020 Aug 13;10.1002/lary.29056.

In Reference to Anosmia and Ageusia: Common Findings in COVID-19 Patients.

Ish P, Sen MK, Gupta N. *Laryngoscope*. 2020 Sep;130(9):E502.

In Response to Isolated Anosmia and Ageusia in COVID-19 With Spontaneous Recovery.

Vaira LA, Salzano G, Deiana G, De Riu G. *Laryngoscope*. 2020 Sep;130(9):E503.