

References 20th of June 2020

[The effect of **olfactory** training on **olfactory** bulb volumes in patients with idiopathic **olfactory** loss.](#)

MK Mahmut, M Musch, P Han, N Abolmaali, T Hummel - Rhinology, 2020

[HTML] [<? covid19?> **Olfactory** and Gustatory Dysfunction as an Early Identifier of COVID-19 in Adults and Children: An International Multicenter Study](#)

C Qiu, C Cui, C Hautefort, A Haehner, J Zhao, Q Yao... - Otolaryngology–Head and ..., 2020

[PDF] [Anosmie et dysgueusie associées à l'infection au SRAS-CoV-2: étude cas-témoins appariée selon l'âge](#)

JB Musonera, MD Delphin Nkengurutse, D Marcoux...

[PDF] [Inflammatory **olfactory** neuropathy in two patients with Covid-19](#)

D Kirschenbaum, LL Imbach, S Ulrich, EJ Rushing... - 2020

[PDF] [Characterizing **Olfactory** Function in Children with Autism Spectrum Disorder and Children with Sensory Processing Dysfunction](#)

JR Sweigert, T St John, KK Begay, GE Davis, J Munson... - Brain Sciences, 2020

[HTML] [Olfaction and COVID: The little we know and what else we need to know](#)

..., DB Neto, MA Fornazieri, RL Voegels - International Archives of ..., 2020

[PDF] [Special Issue “Olfaction: From Genes to Behavior”](#)

E Soria-Gómez - 2020

[PDF] [Sudden Onset, Acute Loss of Taste and **Smell** in Coronavirus Disease 2019 \(COVID-19\): A Systematic Review](#)

L SAMARANAYAKE, K Fakhruddin, C Panduwawala - 2020

[PDF] [Deep Brain Stimulation Effects on **Olfactory** Dysfunction of Parkinson's Disease-A Meta-Analysis](#)

C Li, X Chu, M Tian, F Li, S Xu, C Zhang - 2020

[\[HTML\] Could Early Identification of Changes in **Olfactory** Function Be an Indicator of Preclinical Neurodegenerative Disease? A Systematic Review](#)
RL Winchester, K Martyn - Neurology and Therapy, 2020

[\[HTML\] Prevalence and Recovery From **Olfactory** and Gustatory Dysfunctions in Covid-19 Infection: A Prospective Multicenter Study](#)
E Chary, F Carsuzaa, JP Trijolet, AL Capitaine... - American Journal of ..., 2020

[\[HTML\] Riechstörungen bei COVID-19–aktueller Wissensstand](#)
MS Otte, JP Klußmann, JC Luers - Laryngo-Rhino-Otologie, 2020

[It's not you, it's me–disgust sensitivity towards body odor in deaf and blind individuals](#)
MM Stefanczyk, A Oleszkiewicz - Attention, Perception, & Psychophysics, 2020

[Proinflammatory Cytokines in the **Olfactory** Mucosa Result in COVID-19 Induced Anosmia](#)
A Torabi, E Mohammadbagheri, N Akbari Dilmaghani... - ACS Chemical ..., 2020

[\[HTML\] Influence of age and sex on taste function of healthy subjects](#)
JJ Wang, KL Liang, WJ Lin, CY Chen, RS Jiang - PLOS ONE, 2020

[Aversive textures and their role in food rejection.](#)

Pellegrino R, Lockett CR.

J Texture Stud. 2020 Jun 13. doi: 10.1111/jtxs.12543. [Epub ahead of print]

[Characterizing Olfactory Function in Children with Autism Spectrum Disorder and Children with Sensory Processing Dysfunction.](#)

Sweigert JR, St John T, Begay KK, Davis GE, Munson J, Shankland E, Estes A, Dager SR, Kleinhaus NM.

Brain Sci. 2020 Jun 10;10(6). pii: E362. doi: 10.3390/brainsci10060362.

[Anosmia and Ageusia: Common Findings in COVID-19 Patients.](#)

Vaira LA, Salzano G, Deiana G, De Riu G.

Laryngoscope. 2020 Jul;130(7):1787. doi: 10.1002/lary.28692. Epub 2020 Apr 15.

[Patient-reported taste change assessment questionnaires used in the oncology setting: A narrative review.](#)

Enriquez-Fernandez BE, Martinez-Michel L, Thorlakson J, Wismer WV.

Eur J Oncol Nurs. 2020 May 30;47:101775. doi: 10.1016/j.ejon.2020.101775. [Epub ahead of print] Review.

[Olfactory and gustatory dysfunctions due to the coronavirus disease \(COVID-19\): a review of current evidence.](#)

Mehraeen E, Behnezhad F, Salehi MA, Noori T, Harandi H, SeyedAlinaghi S.

Eur Arch Otorhinolaryngol. 2020 Jun 17. doi: 10.1007/s00405-020-06120-6. [Epub ahead of print] Review.

[Identifying treatments for taste and smell disorders: gaps and opportunities.](#)

Mainland JD, Barlow LA, Munger SD, Millar SE, Vergara MN, Jiang P, Schwob JE, Goldstein BJ, Boye SE, Martens JR, Leopold DA, Bartoshuk LM, Doty RL, Hummel T, Pinto JM, Trimmer C, Kelly C, Pribitkin EA, Reed DR.

Chem Senses. 2020 Jun 18. pii: bjaa038. doi: 10.1093/chemse/bjaa038. [Epub ahead of print]

[Anosmia in COVID-19: Mechanisms and Significance.](#)

Han AY, Mukdad L, Long JL, Lopez IA.

Chem Senses. 2020 Jun 17. pii: bjaa040. doi: 10.1093/chemse/bjaa040. [Epub ahead of print]

[Prevalence of Taste and Smell Dysfunction in Coronavirus Disease 2019.](#)

Mercante G, Ferreli F, De Virgilio A, Gaino F, Di Bari M, Colombo G, Russo E, Costantino A, Pirola F, Cugini G, Malvezzi L, Morengi E, Azzolini E, Lagioia M, Spriano G.

JAMA Otolaryngol Head Neck Surg. 2020 Jun 18. doi: 10.1001/jamaoto.2020.1155. [Epub ahead of print]

[Smell and taste dysfunctions in COVID-19 are associated with younger age in ambulatory settings - a multicenter cross-sectional study.](#)

Izquierdo-Domínguez A, Rojas-Lechuga MJ, Chiesa-Estomba C, Calvo-Henríquez C, Ninchriz-Becerra E, Soriano-Reixach M, Poletti-Serafini D, Villarreal IM, Maza-Solano JM, Moreno-Luna R, Villarreal PP, Mateos-Serrano B, Agudelo D, Valcarcel F, Del Cuvillo A, Santamaría A, Mariño-Sánchez F, Aguilar J, Vergés P, Inciarte A, Soriano A, Mullol J, Alobid I.

J Investig Allergol Clin Immunol. 2020 Jun 17:0. doi: 10.18176/jiaci.0595. [Epub ahead of print]

[The influence of narcolepsy on olfactory function: a review.](#)

de Martin Truzzi G, Naufel MF, Tufik S, Coelho FM.

Sleep Med. 2020 Mar 31;72:75-81. doi: 10.1016/j.sleep.2020.03.023. [Epub ahead of print] Review.

[Love at first taste: Activation in reward-related brain regions during single-trial naturalistic appetitive conditioning in humans.](#)

A L, Sf M, Fh W, J M, J B.

Physiol Behav. 2020 Jun 15:113014. doi: 10.1016/j.physbeh.2020.113014. [Epub ahead of print]

[The diagnostic value of detecting sudden smell loss among asymptomatic COVID-19 patients in early stage: The possible early sign of COVID-19.](#)

Kang YJ, Cho JH, Lee MH, Kim YJ, Park CS.

Auris Nasus Larynx. 2020 Jun 9. pii: S0385-8146(20)30140-1. doi: 10.1016/j.anl.2020.05.020. [Epub ahead of print]

[Reply to "MRI Evaluation of the Olfactory Clefts in Patients with SARS-CoV-2 Infection Revealed an Unexpected Mechanism for Olfactory Function Loss".](#)

Haseli S, Karimi-Galougahi M.

Acad Radiol. 2020 Jun 10. pii: S1076-6332(20)30304-4. doi: 10.1016/j.acra.2020.05.025. [Epub ahead of print] No abstract available.

[Role of Olfaction in Human Health: A Focus on Coronaviruses.](#)

Jaime-Lara RB, Parma V, Yan CH, Faraji F, Joseph PV.

Allergy Rhinol (Providence). 2020 Jun 5;11:2152656720928245. doi: 10.1177/2152656720928245. eCollection 2020 Jan-Dec. No abstract available.

[Olfactory Dysfunction in Coronavirus Disease 2019 Patients: Observational Cohort Study and Systematic Review.](#)

Chung TW, Sridhar S, Zhang AJ, Chan KH, Li HL, Wong FK, Ng MY, Tsang RK, Lee AC, Fan Z, Ho RS, Luk SY, Kan WK, Lam SH, Wu AK, Leung SM, Chan WM, Ng PY, To KK, Cheng VC, Lung KC, Hung IF, Yuen KY.

Open Forum Infect Dis. 2020 Jun 5;7(6):ofaa199. doi: 10.1093/ofid/ofaa199. eCollection 2020 Jun.

[Olfactory Dysfunction in Familial and Sporadic Parkinson's Disease.](#)

Chase BA, Markopoulou K.

Front Neurol. 2020 May 29;11:447. doi: 10.3389/fneur.2020.00447. eCollection 2020. Review.

[Early postmortem brain MRI findings in COVID-19 non-survivors.](#)

Coolen T, Lolli V, Sadeghi N, Rovaï A, Trotta N, Taccone FS, Creteur J, Henrard S, Goffard JC, De Witte O, Naeije G, Goldman S, De Tiège X.

Neurology. 2020 Jun 16. pii: 10.1212/WNL.000000000010116. doi: 10.1212/WNL.000000000010116. [Epub ahead of print]

[Acute smell and taste loss in outpatients: all infected with SARS-CoV-2?](#)

Renaud M, Leon A, Trau G, Fath L, Ciftci S, Bensimon Y, Venkatasamy A, Debry C.

Rhinology. 2020 Jun 15. doi: 10.4193/Rhin20.199. [Epub ahead of print]

[Loss of taste and smell.](#)

Samaranayake L, Sadir Fakhrudin K, Panduwawala C.

Br Dent J. 2020 Jun;228(11):813. doi: 10.1038/s41415-020-1732-2. No abstract available.

[Olfactory and Oral Manifestations of COVID-19: Sex-Related Symptoms-A Potential Pathway to Early Diagnosis.](#)

Biadsee A, Biadsee A, Kassem F, Dagan O, Masarwa S, Ormianer Z.

Otolaryngol Head Neck Surg. 2020 Jun 16:194599820934380. doi: 10.1177/0194599820934380. [Epub ahead of print]

[Olfactory and Gustatory Dysfunction as an Early Identifier of COVID-19 in Adults and Children: An International Multicenter Study.](#)

Qiu C, Cui C, Hautefort C, Haehner A, Zhao J, Yao Q, Zeng H, Nisenbaum EJ, Liu L, Zhao Y, Zhang D, Levine CG, Cejas I, Dai Q, Zeng M, Herman P, Jourdain C, de With K, Draf J, Chen B, Jayaweera DT, Denny JC 3rd, Casiano R, Yu H, Eshraghi AA, Hummel T, Liu X, Shu Y, Lu H.

Otolaryngol Head Neck Surg. 2020 Jun 16:194599820934376. doi: 10.1177/0194599820934376. [Epub ahead of print]

[Taste and smell impairment in SARS-CoV-2 recovers early and spontaneously: Experimental data strongly linked to clinical data.](#)

Sayin B, Yazıcı ZM.

ACS Chem Neurosci. 2020 Jun 15. doi: 10.1021/acchemneuro.0c00296. [Epub ahead of print]

[A study of 30 odors panel smell identification test, smell detection threshold and University of Pennsylvania Smell Identification Test \(UPSIT\) in Thailand.](#)

Kasemsuk N, Thanaviratananich S, Piromchai P.

Auris Nasus Larynx. 2020 Jun 10. pii: S0385-8146(20)30139-5. doi: 10.1016/j.anl.2020.05.017. [Epub ahead of print]

[The effect of olfactory training on olfactory bulb volumes in patients with idiopathic olfactory loss.](#)

Mahmut MK, Musch M, Han P, Abolmaali N, Hummel T.

Rhinology. 2020 Jun 13. doi: 10.4193/Rhin20.223. [Epub ahead of print]